INDEX

Bud union crease, citrus, Aden, 96

Cadang-cadang disease, coconut, Philippines,

Abaca, bunchy top disease, Philippines, 74

Aceria sheldoni, citrus, Aden, 97

Acimović, M., 99, 132 139, 148 Acleris variana, spruce, United States, 1, 6 Calligypona marginata, vector of maize rough Ageratum conyzoides, virus disease, Ceylon, 110 dwarf virus, Israel, 144 Alder, pests, United States, 8 C. propinqua, vector of maize rough dwarf virus, Aleurocanthus woglumi, citrus, Aden, 97 Israel, 145 Allium sativum, see onion Castilleja sp., host of Peridermium stalactiforme, Amphrophora parallela, pine, United States, 10 A. saratogensis, forest trees, United States, 10 Canada, 182 Castillo, B.S., 37, 74 Angrilus anxius, poplar, United States, 6 Catalpa, aphids, 63 A. liragus, poplar, United States, 6 Aonidiella aurantii, citrus, Aden, 97; Gaza Strip, Ceratitis capitata, citrus, 33; Gaza Strip, 119 Ceroplastes sp., citrus, Gaza Strip, 119 Chermes abietis, spruce, United States, 9 A. citrina, citrus, Aden, 97 Apates monachus, fruit trees, Israel, 76 C. cooleyi, spruce, United States, 9 C. piceae, fir, United States, 1, 3, 9 A. monachus var. rufiventris, Italy, 76 Chilo zonellus, for broeding Melcha ornatipennis, Aphis abietina, spruce, United States, 9 A. craccivora, identification, 46, 49, 63; citrus, Chilotraea infuscatellus, for breeding Melcha or-Aden 96; Gaza Strip, 119 natipennis, 72 A. frangulae, see A. gossvpii Chilotraea sp., rice, Israel, 157 A. gossypii, identification, 46, 49, 62; tristeza Chloriona furcifera, rice, India, 11 vector, 85; citrus, Aden 95, 96; Gaza Strip, Chovistoneuva fumiferana, spruce, United States, 118, 119 1, 2, 3, 6 C. pinus, pine, United States, 2, 6 A. nevii, citrus, 65 Choristoneura spp., pine, United States, 6 A. spiraecola, identification, 46, 49, 63 A. pomi, 63 Chrysomphalus aonidum, citrus, Gaza Strip, 119 A. tavarosi, see Toxoptera citricidus Cicadulina bipunctella, Israel, 144 Aphrophora parallela, United States, 2 A. saratogensis, pine, United States, 2 Ciccarone, A., 11 Ciferri, R., 29 Cinara sp., fir, United States, 9 Archips agryrospila, aspen, United States, 6 A. conflictana, aspen, United States, 6 Argyresthia sp., pine, United States, 7 Citrus, aphids, identification, 45-65; Ceratitis capitata, 33; pests and diseases, Aden, 91-98; Argyrotaenia dorsalana, fir, United States, 6 Ashworth, R. de B., 17 Aspen, pests, United States, 6 Gaza Strip, 115-120; tristeza, Jamaica, 85 Citrus aurantifolia, diseases and posts, Aden, 95-97; for tristeza test, 85; pests, Gaza Strip, Aspidiotus destructor, distribution, French Poly-119 Citrus aurantium, posts, Aden, 97 C. paradisi, posts, Gaza Strip, 119 Atta texana, pine, United States, 10 C. sinensis, pests, Aden, 97; Gaza Strip, 119 Cnicus wallichii, Pyrausta nubilalis, Pakistan, 86 Bacterium lathyri, maize, United Arab Republic, Coconut, disease, Philippines, 37, 139, 148; pest, 121 French Polynesia, 110 Balchitha hebe, Israel, 144 Coffee, disease, Peru, 130 Banana, bunchy top disease, Philippines, 74 Cohen, M., 76 Barbara colfaxiana, Douglas-fir, United States, 10 Cohic, F., 110 Bazán de Segura, C., 130 Coleophora laricella, larch, United States, 2, 8 Coloradia pandora, pine, United States, 2, 8 Beech, pests, United States, 10 Bemisia tabaci, citrus, Aden, 97 Conophthorus lambertianae, pine, United States, 10 Conophthorus spp., pine, United States, 10 Bennett, W.H., I Berg, G.H., 85
Black locust, pest, United States, 6 Corcyra cephalonica, for breeding Melcha ornatipennis, 72 Blissus leucopterus, occurrence, Venezuela, 131 Blue mold of tobacco in Europe, 15 Corynebacterium michiganense, tomato, Italy, 11 Cronartium comptoniae, pine, Canada, 181 Bongberg, J.W., 1 C. ribicola, 182 Boselli, F., 11 Cryptococcus fagi, beech, United States, 10 Brachystegia spiciformis, pest, Rhodesia and Nyasaland, 110 Cylindrocopturus catoni, pine, United States, 5 Cynodon dactylon, host of Calligypona marginata, Brevipalpus obovatus, citrus, Aden, 97 Israel, 144 B. phoenicis, citrus, Aden, 97 Brontispa longissima, coconut, French Polynesia, Cyperus rotundus, host of Calligypona marginata

Israel, 144

Delphacodes striatella, see Calligypona marginata Deltocephalus striatus, vector of winter wheat mosaic virus, 146 Dendroctomus barberi, pine, United States, 3 D. borealis, spruce, United States, 1, 3, 5 Dendroctomus brevicomis, pine, United States, 1 D. convexifrons, pine, United States, 3 D. engelmanni, pine, United States, 2, 4 D. frontalis, pine, United States, 2, 4 D. jeffreyi, spruce, United States, 1, 2, 4
D. monticolae, pine, United States, 1, 2, 3
D. parallelocollis, pine, United States, 3
D. ponderosae, pine, United States, 2, 4 D. pseudotsugae, Douglas-fir, United States, 1, 4 Dendroctonus spp., pine, United States, 1 D. terebrans, forest trees, United States, 3, 4 Dendrocygna bicolor, various crops, Africa, 16 D. viduata, various crops, Africa, 16 Diatraca saccharalis, biological control, 69 Dicerca tenebrica, poplar, United States, 6 Dioryctria abietella, Douglas fir, United States, 10 Dioryctria spp., pine, United States, 10 D. zimmermani, pine, United States, 9 Diprion spp., pine, United States, 2 Douglas-fir, pests, United States, 1

Elbanna, M.T., 169
Elephantopus mollis, possible host of cadangcadang, Philippines, 149
Elm, pests, United States, 3
Ennomos subsignarius, elm, United States, 3, 8
Erythroneura coacta, Israel, 144
Eucosma gloriola, pine, United States, 9
Eulype hastata, United States, 1, 7
Eupatorium cannabinum, aphids, 63
European Committee for Co-operation in Fruit
Tree Virus Diseases, 90
European Symposium on Fruit Tree Virus Diseases, 162
Eutetranychus orientalis, citrus, Aden, 97
Exoteleia pinifoliella, pine, United States, 7

FAO meetings, 113
Farrage, S.H., 169
Femusa pusilla, birch, United States, 10
Ferrisiana virgata, citrus, Aden, 97
Fir, pests, United States, 2
Forest trees, pests, United States, 1-10
Formica exsectoides, pine, United States, 10
Fovea, citrus, Gaza Strip, 118
Fusarium moniliforme, maize, United Arab Republic, 121, 123, 124
Fusarium spp., maize, United Arab Republic, 121, 123

Galenara consimilis, fir, United States, 8
Gangrade, G.A., 11
Ghaffar, A., 130
Ghani, M.A., 86
Glucobius speciosus, poplar, United States, 6
Gnovimoschema operculella, for breeding Melcha
ornatipennis, 72
Graham, J.F., 182
Guagliumi, P., 131

Hadrotrichum sorghi, sorghum, Yugoslavia, 132 Harpaz, I., 144 Hemerocampa pseudotsugata, Douglas-fir, United States, 2, 7
Hemerocampa spp., United States, 2
Helmlock, pests, United States, 6
Hingorani, M.K., 121
Holmes, F.O., 139, 148
Homadaula albiziae, mimosa, United States, 10
Hoskins, W.M., 163
Hubert, F.P., 33
Hubert, F.P., 33
Hubert, F.P., 36
Hylobius pales, forest trees, United States, 6
H. radicis, forest trees, United States, 6
H. warreni, forest trees, United States, 6
Hyphantria cunea, forest trees, United States, 10

International Horticultural Congress, 162
International meetings on coffee and banana, 90
International Plant Protection Convention, 15,
32, 138
International Nematology Symposium, 90
International Seed-testing Association, 138
Ips avulsus, United States, 3, 5
I. calligraphus, United States, 5
I. grandicollis, United States, 5
I. interpunctus, United States, 5
I. oregonis, pine, United States, 5
I. pini, United States, 5
I. ponderosae, United States, 5
Ips spp., United States, 1, 2

Knorr, L.C., 91 Krishnaswamy, S., 69

Laphygma exempta, see Spodoptera exempta
L. frugiperda, rice, Nicaragua, 86
Larch, pests, United States, 2
Lechriolepis nephopyropa, pines, Rhodesia and
Nyasaland, 110
Leucospis dorsigera, predator of Apate monachus,
Israel, 79
Limosa limosa, various crops, Africa, 16
Lovi, N.K., 111
Lovisolo, O., 99, 132

Macrophomina phaseoli, onion, Pakistan, 130 Macrosiphoniella citricola, citrus, 65 Macrosiphum euphorbiae, identification, 46, 47, 62 M. fragariae, Israel, 144 Maize, rough dwarf virus, 144; stalk and root rots, United Arab Republic, 121 Malachra capitata, possible host of cadang-cadang, Philippines, 149 Malacosoma americanum, United States, 8 M. disstria, United States, 3, 8 M. fragile, aspen, United States, 8 M. pluviale, alder, United States, 8 Mansour, I.M., 121 Maramorosch, K., 37 Martinez, A.L., 74 Megacyllene robiniae, black locust, United States, 6 Melanophila californica, United States, 6 M. fulvoguttata, hemlock, United States, 6 Melcha ornatipennis, breeding, India, 69 Microbracon brevicornis, 72 M. hebetor, 72 Mimusops commersonii, disease, Ghana, 111 M. elengi, disease, Ghana, III

Musa textilis, see abaca

Myrica gale, host of Cronartium comptoniae,

Canada, 181

Myzus persicae, citrus, Gaza Strip, 119; identification, 46, 47, 62; virus vector, Ceylon, 109

Nectavosiphon persicae, see Myzus persicae Neodifrion abietis, United States, 7
N. americanus banksianae, United States, 7 N. burkei, pine, United States, 7

N. exitans, pine, United States, 3, 7

N. leucontei, pine, United States, 3, 7 N. nanulus, United States, 7 N. pinetum, pine, United States, 7

N. pini-rigidae, pine, United States, 7 N. pratti pratti, pine, United States, 3, 7 N. sertifer, pine, United States, 7 Neodiprion spp., pine, United States, 2

Douglas-fir, United States, 7 N. swainei, United States,

N. taedae linearis, United States, 7 N. tsugae, spruce, United States, 1, 7 Neophasia menapia, pine, United States, 8 Nichols, C.W., 39 Nour-Eldin, M.A., 169

Nuculaspis californica, pine, United States, 2, 9

Oidiopsis taurica, pepper, Peru, 131 Oligonychus milleri, pine, United States, 3, 10 O. ununguis, spruce, United States, 10 Onion, disease, Pakistan, 130 Orgyia basalis, pine, Rhodesia and Nyasaland, 110

Pachystethus oblivia, pine, United States, 10 Panicum crus-galli, sorghum red stripe, Yugoslavia, 99

P. maximum, pest, Venezuela, 131

P. purpurascens, pest, Venezuela, 131 Passiflora foetida, possible host of cadang-cadang, Philippines, 149

Paterson, E.C., 91

Pear, decline, United States, 39

Pectobacterium carotovorum, maize, United Arab Republic, 121

P. carotovorum f. zeae, maize, United Arab Republic, 121, 124 Peiris, J.W.L., 109

Pentalonia nigronervosa, virus vector, Philip-

pines, 74 Pepper, disease, Peru, 131 Peretz, I., 76

Peridermium stalactiforme, pine, North America,

Peronospora tabacina, tobacco, Europe, 15; Italy, 29

Phantia subquadrata, Israel, 144 Phyllocnistis citrella, citrus, Aden, 97 Phyllocnistis sp., citrus, Aden, 96

Phyllocoptruta oleivora, citrus, Gaza Strip, 119 Phytopathologia Mediterranea, a new international

journal, 32 Phytophthora, citrus, Aden, 98; Gaza Strip, 119 Pine, pests, Rhodesia and Nyasaland, 110;

United States, 1
Pineus pinifoliae, pine, United States, 9
Pinus banksiana X contorta, free from sweetfern blister rust, Canada, 181

P. caribae, pests, Rhodesia and Nyasaland, 110 P. echinata X taeda, free from sweetfern blister rust, Canada, 181

P. muricata, sweetfern blister rust, Canada, 181 P. nigra, free from sweetfern blister rust, Ca-

nada, 181

P. patúla, pests, Rhodesia and Nyasaland, 110 P. pinaster, free from sweetfern blister rust, . pinaster, free from sweetfern blister rust, Canada, 181

P. radiata, sweetfern blister rust, Canada, 181 P. rigida X taeda, free from sweetfern blister

rust, Canada, 181

P. tedae, pests, Rhodesia and Nyasaland, 110 Piricularia oryzae, rice, Nicaragua, 86 Pissodes engelmanni, spruce, United States, 5 P. strobi, pine, United States, 3, 5

P. terminalis, pine, United States, 6

Plaut, H.N., 157

Plectopterus gambiensis, various crops, Africa, 16 Poplar, pest, United States, 6

Porthetria dispar, forest trees, United States, 8 Pristiphora erichsonii, larch, United States, 2 Procesas indicus, for breeding Melcha ornatipen-

nis, 72

Proctor, J.H., 91 Prunus mahaleb, decline, United States, 39 Psamotettix striatus, see Deltocephalus striatus Pseudocaecilius sp., citrus, Aden, 97 Pseudoelephantopus spicatus, possible host of ca-

dang-cadang, Philippines, 149
Pseudohylesinus grandis, fir, United States, 5

P. granulatus, fir, United States, Psorosis, citrus, Aden, 96; Gaza Strip, 118 Pterochloroides persicae, citrus, 65

Puto sp., spruce, United States, 9 Pyrausta nubilalis, Cnicus wallichii, Pakistan, 86 Pyrus calleryana, decline, United States, 42 P. communis, decline, United States, 42

P. serotina, decline, United States, 42 P. ussuriensis, decline, United States, 42

Ouarantine legislation, Australia, 158; Belgium, 87; Brazil, 43; Canada, 30; Chile, 133; Eastern Germany, 66; Federal Republic of Germany, 31; Federation of Malaya, 158; France, 159, 185; Gilbert and Ellis Islands, 185; Guatemala, 43; Iraq, 185; Italy, 135; Luxembourg, 186; Mauritius, 87; Netherlands, 12, 43, 136; Nicaragua, 112, 136; Senegal, 12; Spain, 14, 88; Sweden, 160; Turkey, 136; United Arab Republic, 31; United Kingdom, 136, 186; United States, 137, 161; United States Trust Territories of the Pacific Islands, 137; Venezuela, 89; Viet-Nam, 14

Quelea, various crops, Africa, 16

Rao, V.P., 69 Recurvaria milleri, pine, United States, 2, 6 Recurvaria spp., pine, United States, 2 Rhamnus, aphids, 63

Rhizoctonia bataticola, maize, United Arab Republic, 121, 123, 124

Rhizomorpha corynephora, coffee, Peru, 131 Rhopalosiphum maidis, vector of sorghum red stripe, Yugoslavia, 99; Israel, 144
Rhyacionia buoliana, pine, United States, 1, 2, 3, 9
R. frustrana, pine, United States, 3, 9

R. rigidana, pine, United States, 9 Rhyacionia sp., pine, United States, 9 Rice, hoja blanca, Nicaragua, 85; pest, India, 11; Israel, 157 Rothkirch, H., 37

Sabet, K.A., 121 Samra, A.S., 121 Saperda calcarata, poplar, United States, 6 S. concolor, poplar, United States, 6 Sarkidiornis melanotos, various crops, Africa, 16 Schizaphis graminum, Israel, 144 Scirpophaga albinella, biological control, India, 69 S. innotata, biological control, India, 69 S. intacta, biological control, India, 69 S. nivella, biological control, India, 69 Scolytus multistriatus, elm, United States, 5 Scolytus spp., fir, pine, United States, 2 S. unispinosus, Douglas-fir, United States, 5 S. ventralis, fir, United States, 5 Shalla, T.A., 39 Siddiqui, Z.A., 130 Sitobion avenae, Israel, 144 Sogata orizicola, vector of hoja blanca, Nicaragua, 85 S. pallescens, see Chloriona furcifera Sogatella furcifera, soo Chloriona furcifera Sorghum, disease, Yugoslavia, 132; red stripe, Yugoslavia, 99 Sorghum halepense, disease, Yugoslavia, 132; red stripe, Yugoslavia, 99-101 S. sudanense, red stripe, Yugoslavia, 100, 101 S. vulgare, red stripe, Yugoslavia, 99-101 Spiraea, aphids, 63 Spodoptera exempta, outbreak, Kenya, 182 Spruce, pests, United States, 1

Stachytarpheta jamaicensis, possible host of cadang-cadang, Philippines, 149 Stell, G., 85

Stoebe vulgaris, pest, Rhodesia and Nyasaland, IIO

Stroyan, H.L.G., 45 Stubborn, citrus, Gaza Strip, 118

Sugar cane, ratoon-stunting, United Arab Republic, 169

Sympiesis sp., citrus, Aden, 97

Symposium on weaver birds in Africa, 16 Synedrella nodiflora, possible host of cadang-cadang, Philippines, 149

Tetraneura ulmi, 144

Tobacco, blue mold, Europe, 15; virus disease,

Ceylon, 109 Tolba, M. A., 169

Tomato, disease, Italy, 11

Toumeyella numismaticum, pine, United States, 10 Toxoptera aurantii, citrus, Gaza Strip, 118, 119; identification, 46, 64

Toxoptera citricidus, identification, 46, 48, 64; tristeza vector, 85, 95, 96, 118

T. graminum, see Schizaphis graminum

T. odinae, citrus, 65

Trachysphaera fructigena, Mimusops spp., Ghana,

Tristeza, citrus, Aden, 94; Gaza Strip, 118; Jamaica, 85 Turner, P.D., 111

Whellan, J.A., 110

Xyloporosis, citrus, Aden, 92; Gaza Strip, 117

Ziller, W.G., 181

ERRATA

(The line numbers do not take account of titles and headings)

fungus in Yugoslavia

Page	15 16 16	"		2.7			Peronospora roost trypanosomes
2.9	39	name o	f a	utho	r	33	Shalla «
33	99	column				23	in heavily affected fields on The identity of the causal virus in P. crus-galli was not de-
,,	T00	,,	2.	,,	1	,,	termined
	100		2,		4		This was probably due to the fact that the infection took place long after the panicles had been formed, for young leaves did not show any necrosis and the stripes on older
							leaves were still bright red, indicating recent infection
32	101	"	2,	"	42	23	resistance to the virus
**	132	"	Ι,	2.2	5	39	This confirms the presence of

for Peronospera roots

tryponosomes

" Shella in heavily affected fields of

The identity of the causal virus in these two hosts was not determined

" This was probably due to the fact that the infection took place long after the panicles had been formed, and consequently young leaves did not show any necrosis and the stripes on older leaves were bright red.

resistance to the infestation

of R. maidis

This fungus had not previously been reported from Yugoslavia